L Number	Hits	Search Text	DB	Time stamp
-	3	6560757.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:46
-	192	703/14 and vhdl and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:56
-	13	703/14 and pins same vhdl and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:57
-	0	703/14 and bi adj direction near pin and vhdl and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:58
-	3	703/14 and bi adj direction$ near pin and vhdl and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:59
-	7	703/14 and bi adj direction$ near pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:59
-	5	703/14 and bi adj direction$ adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:59
-	9	703/14 and direction$ adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 08:59
-	16	703/14 and $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:00
-	12	703/14 and (input and output) with $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:28

-	14	703/14 and (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:08
-	2	(703/14 and (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)) not (703/14 and (input and output) with $3direction$3 adj pin and (@ad<20001019 @rlad<20001019))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:08
-	12	(716/4 716/5) and (input and output) with $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:09
-	19	(716/4 716/5) and (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:12
-	0	(703/3 703/4) and (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:12
-	16	(703/13 703/14) and (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:14
-	34	703/$ and (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:15
-	51	716/$ and (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:15
-	63	(703/$ 716/$) and (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:15
-	43	(703/$ 716/$) and (input and output) with $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:17
-	3	(703/$ 716/$) and drive same (input and output) with $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:18

-	5	(703/$ 716/$) and drive$ same (input and output) with $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:22
-	3	(703/$ 716/$) and drive$ with (input and output) with $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:19
-	17	(703/$ 716/$) and drive$ same (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:30
-	24	drive$ with (input and output) with $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:40
-	21	drive$ with (input and output) with $3direction$3 adj pin and (@ad<19991029 @rlad<19991029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:41
-	40	drive$ same (input and output) with $3direction$3 adj pin and (@ad<19991029 @rlad<19991029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 09:45
-	1	(distinguish$ determin$) near2 (input and output) same pin same model same hardware and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:03
-	0	(distinguish$ determin$) near2 (input and output) same pin same model same hardware and (@ad<19991029 @rlad<19991029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:05
-	5	(distinguish$ determin$) with (input and output) same pin same model same hardware and (@ad<19991029 @rlad<19991029)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:04
-	1	(distinguish$ determin$) near2 (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:05
-	1	(distinguish$ determin$) near2 direction same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:08

-		2	(distinguish$ determin$) near2 $3direction$3 same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:11
-		2	(distinguish$ determin$) with direction same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:11
-		3	(distinguish$ determin$) with $3direction$3 same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:23
-		3	(distinguish$4 determin$5 verif$6 test$3 compar$4) with $3direction$3 same (input and output) same pin same model same hardware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:17
-		50	reduc$4 near drive$2 near strength	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:18
-		13	reduc$4 near drive$2 near strength and pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:18
-		13	(weak$2 reduc$4) near drive$2 near strength and pin and input and output and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:19
-		4	(weak$2 reduc$4) near drive$2 near strength and $3direction$2 and pin and input and output and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:21
-		22	(weak$2 reduc$4) with drive$2 with strength and $3direction$2 with (pin and input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:22
-		4	(weak$2 reduc$4) near2 drive$2 near2 strength and $3direction$2 with (pin and input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:23
-		6	(weak$2 reduc$4) near2 drive$2 near2 strength and (distinguish$4 determin$5 verif$6 test$3 compar$4) same $3direction$2 with (pin input output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:24

-		4	(weak$2 reduc$4) near2 drive$2 near2 strength and (distinguish$4 determin$5 verif$6 test$3 compar$4) with $3direction$2 with (pin input output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 13:25
-		0	verif$6 with (input and output and $3direction$3 adj pin) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:29
-		0	verif$6 with (input and output) same $3direction$3 adj pin and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:32
-		4	verif$6 same (input and output and $3direction$3 adj pin) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:30
-		0	verif$6 with $3direction$3 adj pin same (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:32
-		3	verif$6 same $3direction$3 adj pin same (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:33
-		43	test$3 with $3direction$3 adj pin same (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:34
-		31	test$3 with $3direction$3 adj pin with (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:36
-		2	model same simulat$3 and test$3 with $3direction$3 adj pin with (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:37
-		5	(model simulat$3 design) same test$3 with $3direction$3 adj pin with (input and output) and (@ad<20001019 @rlad<20001019)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 18:38